

TIPS AND TRICKS, EPISERVER

Episerver Forms: Adding Datasource for hidden field with Profile Store data



Allan Thraen | 29 Days Ago | PDF | 0 43 Shares

Some times, it can be handy to track additional data about the visitor along with a form submission. If you have Profile Store, stuff like Deviceld, sessionId and maybe even the ProfileId can definitely come in handy later when you are later processing the form submissions. Here is a code sample on how to do that.

Luckily, Episerver Forms are really easy to extend. And in the case of adding hidden fields with visitor data, we won't even have to create a new form element. It already exist, aptly named "Hidden Visitor Profiling". This is an element type that basically let's you take some data and add it as a hidden form submission field. The data comes from a collection of IVisitorDataSources, so to add more data, all we have to do is to add a new DataSource (+ the appropriate language translation texts).

The Episerver profile store is a powerful tool - and a typical customization you need to do is to ensure that a Form actor tracks the form postings in the profile store. However - what if something goes wrong in the tracking process and this ends up meaning a lost lead? We can't have that - so as a safety precaution it can be a good idea to track key fields like the Deviceld from profile store (coming from the "_madid" cookie, or maybe even the ProfileId - although you should be aware that it can change if the profile gets 'merged' (or mutilated, nuff said).

The code below does just that - but be aware that in order to get the ProfileId, it uses a coming ProfileStoreSDK which isn't publicly available yet - so for now, you might want to comment out the code referring to ProfileId.

```

1 <?xml version="1.0" encoding="utf-8" ?>
2 <languages>
3 <language name="English" id="en">
4 <episerver>
5 <forms>
6 <visitordatasources>
7 <Alloy.Business.Forms.TrackedVisitorDataSource>
8 <displayname>Tracked Visitor Data Source</displayname>
9 </Alloy.Business.Forms.TrackedVisitorDataSource>
10 </visitordatasources>
11 </forms>
12 </episerver>
13 </language>
14 </languages>

```

Datasources.xml hosted with ❤ by GitHub

view raw

```

1 using CodeArt.Episerver.ProfileStoreSDK;
2 using Episerver.Forms.Core.VisitorData;
3 using Episerver.Forms.Implementation.VisitorData;
4 using Episerver.Logging;
5 using Episerver.ServiceLocation;
6 using System;
7 using System.Collections.Generic;
8 using System.Linq;
9 using System.Web;
10
11 namespace Alloy.Business.Forms
12 {
13     [ServiceConfiguration(ServiceType = typeof(IVisitorDataSource))]
14     public class TrackedVisitorDataSource : VisitorDataSourceBase
15     {
16         private static readonly ILogger Logger = LogManager.GetLogger();
17
18         public override void SetData(ref object visitorData, string property)
19         {
20             var ctx = HttpContext.Current;
21             if (ctx != null)
22             {
23                 var madcookie = ctx.Request.Cookies["_madid"];
24                 if (property == "Deviceld" && madcookie != null)
25                 {
26                     visitorData = madcookie.Value;
27                     return;
28                 }
29                 var sesscookie = ctx.Request.Cookies["EPISessionId"];
30                 if (property == "EPISessionId" && sesscookie != null)
31                 {
32                     visitorData = sesscookie.Value;
33                     return;
34                 }
35                 if (madcookie != null && property == "ProfileId")
36                 {
37                     try
38                     {
39                         var client = ProfileStoreClient.GetFromConfig();

```

Related

- Getting more insight into Profile Store Episerver Forms and Pardot Form
- Handlers

Blog posts

2019

November

October

September

August

July

June

May

April

March

February

January

2018

December

November

October

September

August

June

Available Topics

.NET DEVELOPMENT

ADDON DEVELOPMENT

AI

API BUILDING

AZURE

BEHAVIOR ANALYTICS

BIG DATA

C#

CMS

CONTENTFUL

DIGIZUITE

ELASTICSEARCH

EPISERVER

FREELANCING

INFORMATION RETRIEVAL

INTEGRATIONS

LIFE AS A CODER

MICRO SERVICES

OFFSHORE DEVELOPMENT

PRODUCT MANAGEMENT

TECH TALK

TIPS AND TRICKS

VISION DEMOS & PROTOTYPES

About Allan

I'm a freelance software architect / developer and Episerver expert (EMVP) based in Copenhagen Denmark. I've worked for Episerver for more than 10 years before going freelance and understand both your business needs as well as the technical possibilities.



I love solving real business problems with innovative and

```
40     var profile = client.GetProfileByDeviceId<<Dictionary<string, object>>();
41     if (profile != null) visitorData = profile.ProfileId;
42     } catch (Exception exc)
43     {
44         Logger.Error($"Unable to get profile Id for Device ID {maccookie.Value}");
45     }
46 }
47 }
48 }
49
50 public override bool ClientSideMode => false;
51
52 public override string DataSourceName => "Tracked Visitor Data";
53
54
55
56 public override IEnumerable<KeyValuePair<string, string>> GetProperties()
57 {
58     var fullName = this.GetType().FullName;
59     List<KeyValuePair<string, string>> rt = new List<KeyValuePair<string, string>>();
60     rt.Add(new KeyValuePair<string, string>("DeviceId", "DeviceId"));
61     rt.Add(new KeyValuePair<string, string>("EpiSessionId", "SessionId"));
62     rt.Add(new KeyValuePair<string, string>("ProfileId", "ProfileId"));
63     return rt;
64 }
65 }
66 }
```

TrackedVisitorDataSource.cs hosted with ❤ by GitHub [view raw](#)

TIPS AND TRICKS EPISERVER

Previous Post
[Ascend 2019: Code Mania](#)

Next Post
[Episerver Forms: Adding custom validators to existing elements](#)

Post Comments (0)

creative coding!

Learn more about my skills and specialities, reach out to me at info@codeart.dk or use this form to contact me.



Recommended for you

- CodeArt
- Error: No parameterless constructor defined for this object
- Ascend 2019: Code Mania

CodeArt ApS
Frederiksdalsvej 198, 2830 Virum, Denmark
Phone: +45 26 13 66 96
CVR: 39680688



Tweets by [athraen](#)